



BDV-EF200 NEW

General	2,1
Power Consumption (in Operation)	95W
Power Consumption (in Standby)	0.3W
Network & Video Features	
Wireless LAN Ready	•
Wi-Fi Built in	-
Direct Connect	-
BIVL	•
Qriocity	•
DLNA	• (Video, Audio, Photo)
Media Remote	•(Axis)
Entertainment DB Browser (Gracenote etc.)	-
Web Browser	•
Party Mode	-
Multi-Room UI (Server, Client)	-/-
3D BD-ROM	•
3D Streaming	•
IP Content Noise Reduction	•
Disc Drive	• (Precision Drive HD)
Preset Picture mode Cinema tuned (Theater room/Brighter room/Stan	•/•/•
x.v.Color / x.v.Colour	• (HDMI input: No)
HD (24Hz) (24p True Cinema)	•
DVD 24p output	•
TV Type Default Setting	16:09
Supported Media	
BD-ROM	•(SL/DL)
BD-R/RE	•(BD-RE/BDMV)
BD-Live	•
DVD-Video/ DVD-R/ DVD-RW/ DVD+R/ DVD+RW	•
SA-CD (SA-CD/CD) Playback	•
CD-R/-RW	•
File System (FAT32, NTFS, exFAT)	•
External HDD (Read, Copy/Move)	•
Xvid HD 1080	•
WMV9 (.wmv, .asf)	•
AVCHD AVCHD Disc Format Folder	•
MPEG-1 Video/PS (.mpg, .mpeg, .m2ts, .mts) <.VOB, .VRO>	•
MPEG-2 Video/PS, TS (.mpg, .mpeg, .m2ts, .mts) <.VOB, .VRO>	•
MPEG-4 AVC (.mkv, .mp4, .m4v, .m2ts, .mts)	•
MP3 (.mp3)	• (BD, DVD, CD, USB)
MPEG-2 Audio	•(BD, DVD, CD, USB)
AAC (.m4a)	• (BD, DVD, CD, USB)
WMA9 Standard (.wma)	• (BD, DVD, CD, USB)
WMA Tags	•
LPCM (.wav)	• (BD, DVD, CD, USB)
DTS <.wav>	• (BD, DVD, CD, USB)
JPEG (.jpg, .jpeg)/GIF (.gif)/PNG (.png)	• (BD, DVD, CD, USB)
Audio Features	
Made for Ipod/iPhone	Music/ Video/Photo
Band (FM/AM)	FM
Preset Station (FM/AM)	20 (FM)
Auto Scan Tuning	•
RDS (PS/PTY/EON)	• (PS)

External Antenna (FM/AM)	FM (75ohm)
Bass/Treble	-
Bass boost	-
Muting	•
Decoding	
LPCM (2ch / 5.1ch / 7.1ch)	•/•/• (HDMI in; 2ch only)
Dolby Digital	•
Dolby Digital EX	-
Dolby Digital Plus	• (HDMI in; No)
Dolby Prologic	• (HDMI in; No)
DTS	• (HDMI in; No)
DTS96/24	• (HDMI in; No)
DTS-ES Matrix6.1	• (HDMI in; No)
DTS-ES Discrete6.1	• (HDMI in; No)
MPEG2 AAC (ARIB)	-
DSD	•(HDMI in; No)
Dolby True HD	• (HDMI in; No)
DTS-HD HR	• (HDMI in; No)
DTS-HD MA	• (HDMI in; No)
DTS-HD LBR	• (HDMI in; No)
Surround Setting	
Auto	•
2ch STEREO	•
Dolby Prologic	-
Dolby Prologic II Music / Dolby Prologic II Movie	-
Dolby Prologic II x Music / Dolby Prologic II x Movie	-
S-Force Pro 3D	•
DTS Neo:6 Music / DTS Neo:6 Cinema	-
Auto	•
Portable Audio Enhancer Plus (Auto)	•
Movie	•
Music	•
SPORTS	•
GAME ROCK	•
DTS HD Master Audio bit-stream out	•
Dolby TrueHD bit-stream out	•
LPCM 2ch out	•
LPCM 6ch out	•
LPCM 8ch out	•
DSD output	-
DSD to LPCM conversion out	•(88.2kHz/44.1kHz)
AV Sync	•
Power Output	
Total (Reference)	350W
Front (Reference)	115W
Subwoofer (Reference)	120W
Other Features	
BRAVIA Sync	•
Audio Return Channel	•
Position Control Sync	-
DEMO mode	•
Child Lock	•
Parental Control	•
XMB (Xross Media Bar)	•
Remote Setting Guide on XMB (Preset)	-
Drive Type (Tray/Slot-in)	Tray
Touch Sensor	-
Alphaumeric FL Display	•
SLEEP	•
LED Indicator	-
illumination LED	-
Easy Setup (Quick Setup)	•
TV system Default Setting	50Hz
Screen Saver	•
Custom Wall Paper	-
Speaker Formation	-
Auto Power Off (Auto Stand-by)	•
Bit Rate Indicator	• (Video, audio, BIV)
USB Keyboard	•
S-master Digital Amplifier	24bit
Wireless Amplifier	-
Model Name	No Compatibility

Power Consumption (in Operation)	-
Power Consumption (in Standby)	-
Dimension (W x H x D)	-
Unit Weights	
S-Air Wireless/Ready	No Compatibility
Inputs and Outputs	
HDMI Output(s)	1
Composite Video Output(s)	1
HDMI Input(s)	2
USB Input(s)	2
Optical Audio Input(s)	1
Ethernet Connection(s)	1
Auto Calibration Mic Input(s)	-
Infrared Input(s)	1
Speaker	
Wider Listening Area	-
Wider Listening Area Pro	-
Front Speaker	
Model name	SS-TSB105
Type (Tall boy, Micro satellite...)	Micro Satellite
Speaker System	1 way
Enclosure Type (Bass Reflex/Acoustic suspension/Passive radiator/ c	Bass Reflex
Front Grille (Removable/Fixed)/ Material	Fixed / Cloth net
Rated impedance	3
Speaker Unit	1 unit
Full range unit	55x80mm
Tweeter unit	-
Magnetically Shielded	-
Input Terminal	PUSH TYPE
Center Speaker	-
Surround Speaker	-
Subwoofer	-
Model Name	RM-ADP058
Type (Basic, Universal)	Basic
Wall Hanging Bracket	-
Dock for iPod/iPhone	•
Composite Cable	•
FM Antenna (Pig tail / T type)	•
Batteries	•
Warranty Card	•
Quick Setup Guide	•
Weights and Measurements	
W x H x D (mm) Main Unit	400 x 65 x 315
W x H x D (mm)	-
Size (W x H x D) (approx.) Front Speaker	85 x 220 x 95 (6 degree)
Weight (approx.)	0,55
Size (W x H x D) (approx.)	-
Weight (approx.)	-
Size (W x H x D) (approx.)	-
Weight (approx.)	-
Size (W x H x D) (approx.) Subwoofer	260 x 265x 270
Weight (approx.)	6
Size (L x W x H) mm (approx.)	TBD